PART 1 - GENERAL

1.1 SUMMARY

A. Description:

1. This section specifies the standards that the Contractor shall follow for their scope of work related to Facilities Management Data (FM Data) Requirements. This section also includes information related to documents that are required for operation and maintenance support functions.

2. This section does not negate any other sections. Contractor shall also see:

1. Section 01 70 00 - Contract Closeout

2. Section 01 91 00 - General Commissioning Requirements

PART 2 - PRODUCTS

2.1 SUBMITTALS

A. Facility Equipment Information

1. Content: The Contractor will provide facilities information, that is:

a. Contact Information

_____ (email, company name, website, phone number) per the following:

i. general contractor(s)
ii. sub-contractors installing products from ‘equipment information’ section
iii. manufacturers providing equipment from ‘equipment information’ section
iv. Example: info@trane.com, Trane, trane.com, 999.999.9999

b. Space Information (Provided by Architect):

i. room number, room name, floor number, ceiling height, associated floor plans (Mechanical ductwork and piping, Plumbing, Electrical power)

1. ex: M107, Main Mechanical Room, 01, M-102A, M202A, P-102A, E-102A
2. The drawings to be cross-referenced shall be the original contracted (awarded) drawings. If “as-builts” are produced at the end of the project, the updated drawings can be substituted for the original drawings.

(XLS) exported from that web-based tool. Format of deliverables, content, and schedule are addressed in other parts of this specification section.

End of this section contains all tables.

Table 01 - Required Equipment List

Table 02 -

Table 02 - Equipment Attributes

System	Asset Type	Attributes
ACCESS	LOCKBOX	location
ACCESS	LOCKBOX	assetnumber
ACCESS	SpecialAction Doors	DoorType
ALL	MANHOLE	GPSCoordinate
ALL	METER	metertype
ALL	METER	remotereading
ALL	METER	readingranges
ALL	METER	temprange
ALL	METER	Instrumentationtagnumber
ALL	Tanks	capacity*
ALL	Tanks	tank

System	Asset Type	Attributes
ELEC	DP	capacity*
ELEC	DP	mainbuscurrent
ELEC	DP	aicrating
ELEC	GENERATOR	power*
ELEC	GENERATOR	electricalpanelname*
ELEC	GENERATOR	capacity*
ELEC	GENERATOR	electricgeneratorefficiency
ELEC	GENERATOR	gfcicapable
ELEC	GENERATOR	

System	Asset Type	Attributes
HVAC	CoolingTower	operationtemperaturerange
HVAC	CoolingTower	ambientdesigndry bulbtemp
HVAC	CoolingTower	ambientdesignwet bulb temp
HVAC	Dampers	capacity*
HVAC	Dampers	maximumair flow rate
HVAC	Dampers	nominalair flow rate
HVAC	Dampers	openpressuredrop
HVAC	Dampers	leakagefully closed
HVAC	Dampers	IPaddress
HVAC	Dampers	BASaddress
HVAC	Dampers	ParentDDCPanelName
HVAC	DHUM	power*
HVAC	DHUM	electricalpanelname*
HVAC	DHUM	capacity*
HVAC	DHUM	nominalmoisturegain
HVAC	DHUM	internalcontrol
HVAC	DHUM	waterrequirement
HVAC	DHUM	saturationefficiencycurveair pressuredrop curve
HVAC	ERU	power*
HVAC	ERU	electricalpanelname*
HVAC	ERU	capacity*
HVAC	ERU	supplyfan ext. static pressure
HVAC	ERU	supplyfan maxhp
HVAC	ERU	exhaustfan extstaticpressure
HVAC	ERU	exhaustfan total hp
HVAC	ERU	cfm range
HVAC	ERU	weight
HVAC	FAN	power*
HVAC	FAN	electricalpanelname*
HVAC	FAN	capacity*
HVAC	FAN	air flow - maximum
HVAC	FAN	nominalpressuredrop
HVAC	FAN	

Table 03 - Example Data Format

Space Information - Tab						
Name	Floor	Category	SF	Ceiling Height	Description	Drawings
100	1	020 Non Assignable: Public Circulation Ar Lobby Foyer	1413.44	12	LOBBY	A105
101	1	635 General Food Facilities Svc	3648.16	12	FOOD PREP	A105
102	1	630 General Food Facilities	4515.73	12	DINING	A105
103	1	710 Support: Central Comp or Telecom	39.66	12	IT	A105
104	1	U10 Special Use: Unisex Public Restroom	74.87	12	UNISEX	A105
105	1	M10 Special Use: Men's Public Restroom	287.67	12	MENS	A105
106	1	W10 Special Use: Women's Public Restro	288.68	12	WOMENS	A106
110	1	030 Non Assignable: Mech Rm	292.03	12	MECHANICA	A106
111	1	020 Non Assignable: Elev, Stair	81.16	12	STAIR	A106
112	1	310 Office: Staff Off	81.16	12		

Table 03 - Example Data Format

Equipment			
Name	AHU-1	FPB-11	CHWP-1
Location	146	101	146
Asset Type	AHU	ATU	PUMP
Description	AHU		

AA

Table 04 - Reference Document Example

Note – the following directory format is for the electronic files that are part of the deliverable.

END OF SECTION