

FINISH HARDWARE

PART 1 - PRODUCTS

1.1 MANUFACTURERS:

- A. Listed acceptable alternate manufacturers: submit for review products with  
equi2 ( )1- (oq0 (t)2 (abl)10 (um2)2 (abl)10 (um2)2 (ab(um2)( ) (ab(um2)( ) (ab(um22 Tw
- |                   |                 |
|-------------------|-----------------|
| (E) Ives          | Rixson          |
| (H) Schlage       | None Available  |
| (H) Schlage       | None Available  |
| (N) Von Duprin    | None Available  |
| (N) LCN           | None Available  |
| (N) LCN           | None Available  |
| (E) Ives          | DCI             |
| (E) Ives          | Hager           |
| (E) Ives          | Hager, Rockwood |
| (E) Ives          | Hager, Rockwood |
| (E) Ives          | Hager, Rockwood |
| (E) Ives          | Hager, Rockwood |
| (Y) Glynn-Johnson | None available  |
| (M) Pemko         | Zero, Reese     |
| (M) Pemko         | Zero, Reese     |
| (N) Lund          | TelKee          |
| (A) Adams Rite    | None            |

1.2 HINGING METHODS:

- A. Note: All exterior doors shall use wide-throw continuous hinges.
- B. Conventional Hinges: Stainless steel pins and concealed ball bearings.



